



**Rural Municipality of Milton No. 292  
Regular Meeting of Council Agenda  
Wednesday April 9, 2025 – 9:00 a.m.**

---

**9:00 a.m. – Garry Hyland**

---

1. Call to Order
2. Review of Agenda
3. Conflict of Interest Declarations
4. Minutes  
    March 20, 2025 Minutes
5. Reports  
    Division Reports  
    Foreman's Report  
    Kindersley Vet Board  
    Kindersley Medical Arts  
    Kindersley Health and Wellness Foundation Inc.  
    Kindersley Library Board  
    Kindersley & District Plains Museum  
    North West Municipalities Association (NWMA)  
    Prairie Winds Emergency Planning District  
    Western Regional Landfill Inc  
    West Central Municipal Government Committee (WCMGC)  
    RoaData Reports  
    PCO Monthly Inspection Reports
6. Administrator's Reports  
    Administrator's Hours – March 2025  
    Alsask Waterworks Records Report March 2025  
  
    Financial Report – Income and Expense Report and Bank Reconciliations for March 2025
7. Correspondence (page 3)
8. Excavation Safety Cage
9. 2025 Road Construction
10. Dust Control
11. Legal matters (in-camera)
12. Drilling License
13. Letter to Kim Gartner
14. Saskatchewan Lotteries Community Grant Payment 2024-2025 –Westcliffe Composite School
15. Bylaw 2025-01 – Building Bylaw
16. Bylaw 2025-02 – Building Fee Bylaw
17. Bylaw 2025-03 – Bylaw to Extend Time to Complete the Assessment Roll

18. 2025 Education Property Tax Mill Rates
19. 2025 Budget Review and Discussion
  - 2025 Budget – DRAFT and 2025 Alsask Budget – Working Copy - DRAFT
  - 2025 Tax Levy Analysis - DRAFT
  - 2025 Proposed Tax Abatements - DRAFT
20. 2025 Mill Rate
21. Alsask Agenda Items
  - Permit to Operate Sewage Works
22. Accounts
23. Adjourn

---

**Date of next meeting – May 7<sup>th</sup>, 2025 at 9:00 a.m.**

---

**RM of Milton Correspondence April 9, 2025**

**SHA Analytical**

Alsask water samples analysis printed below:

<u>Date</u>	<u>Free Chlorine</u>	<u>Total Chlorine</u>	<u>Turbidity</u>
03-Mar-2025	0.52	0.68	0.26 (Regular)
17-Mar-2025	1.06	1.19	0.17 (Regular)

(acceptable results: Free Chlorine >.1, Total Chlorine >.5, Turbidity never to exceed 1.0)

04-March-2025 Arsenic 8.8 ug/L Sask guideline <10 ug/L

04-March-2025 Quarterly Trihalomethane 60.7 ug/L Sask guideline <100 ug/L

25-March-2025 Haloacetic Acids 34 µg /L Sask guidelines <80 µg /L

**Saskatchewan Association of Rural Municipalities (SARM)**

Rural Dart – April 1, 2025

Rural Sheaf – March 2025

New Release – March 27, 2025

New Release – March 19, 2025

**Agricultural Producers Association of Saskatchewan (APAS)**

Update – March 27, 2025